



T8 TUBE

TYPE B

IKIO T8 Tube – Type B is designed for direct replacement of existing T8 fluorescent lighting systems. IKIO tube is offered in a variety of color temperatures for flexibility in all types of applications. Available options of frosted and clear lens allow for an evenly illuminated glow, resembling existing fluorescent tubes. The tube is fitted with an internal IKIO driver that works with in-line voltage.

Application : Offices, Schools, Retail Stores, General Areas, Residential Spaces, Lobbies.

FEATURES

- **Can run directly** off the main switch without any major rewiring.
- **Low energy consumption** and maintenance cost.
- Unique design with a **perfectly uniform visual appearance**.
- **In-built** universal line voltage driver options.
- **Exceptional efficacy** and light output with a wide beam angle and no flickering.
- Ideal for operation in **low temperatures**.

Note: Warranty and Qualifications can vary per item, see technical data sheets (TDS) for specific information. • Not all product variations listed are DLC® qualified. Visit www.designlights.org/search to confirm qualification. • Published lumens on LED products are approximate and may vary slightly. • Specifications are subject to change without notice. • Photos and drawings may not be to scale and are for general reference only.



PRODUCT ORDERING DETAILS

T8 TUBE TYPE B - 4FT - 12W - FROSTED

POWER	SKU NUMBER	DESCRIPTION	DLC	EFFICACY	SPEC SHEET
11.5 W	662187539645	T8 TUBE TYPE B : 11.5 W / 1832 LM / 3000 K / 100-277 V / WHITE / DLC	•	159.43 lm/W	View / Download
11.5 W	662187539775	T8 TUBE TYPE B : 11.5 W / 1856 LM / 3500 K / 100-277 V / WHITE / DLC	•	161.27 lm/W	View / Download
11.5 W	662187477695	T8 TUBE TYPE B : 11.5 W / 1881 LM / 4000 K / 100-277 V / WHITE / DLC	•	163.39 lm/W	View / Download
11.5 W	662187477688	T8 TUBE TYPE B : 11.5 W / 1929 LM / 5000 K / 100-277 V / WHITE / DLC	•	167.62 lm/W	View / Download
11.5 W	662187539874	T8 TUBE TYPE B : 11.5 W / 1978 LM / 6500 K / 100-277 V / WHITE / DLC	•	171.55 lm/W	View / Download

T8 TUBE TYPE B - 4FT - 12W - CLEAR

POWER	SKU NUMBER	DESCRIPTION	DLC	EFFICACY	SPEC SHEET
12 W	662187539881	T8 TUBE TYPE B : 12 W / 1936 LM / 3000 K / 100-277 V / WHITE / DLC	•	161.34 lm/W	View / Download
12 W	662187539782	T8 TUBE TYPE B : 12 W / 1959 LM / 3500 K / 100-277 V / WHITE / DLC	•	163.28 lm/W	View / Download
12 W	662187539751	T8 TUBE TYPE B : 12 W / 1985 LM / 4000 K / 100-277 V / WHITE / DLC	•	165.38 lm/W	View / Download
12 W	662187539652	T8 TUBE TYPE B : 12 W / 2035 LM / 5000 K / 100-277 V / WHITE / DLC	•	169.57 lm/W	View / Download
12 W	662187539867	T8 TUBE TYPE B : 12 W / 2083 LM / 6500 K / 100-277 V / WHITE / DLC	•	173.61 lm/W	View / Download

T8 TUBE TYPE B - 4FT - 15W - FROSTED

POWER	SKU NUMBER	DESCRIPTION	DLC	EFFICACY	SPEC SHEET
15.2 W	662187539829	T8 TUBE TYPE B : 15.2 W / 2365 LM / 3000 K / 100-277 V / WHITE / DLC	•	155.88 lm/W	View / Download
15.2 W	662187539836	T8 TUBE TYPE B : 15.2 W / 2393 LM / 3500 K / 100-277 V / WHITE / DLC	•	157.75 lm/W	View / Download
15.2 W	662187539614	T8 TUBE TYPE B : 15.2 W / 2424 LM / 4000 K / 100-277 V / WHITE / DLC	•	159.78 lm/W	View / Download
15.2 W	662187539720	T8 TUBE TYPE B : 15.2 W / 2485 LM / 5000 K / 100-277 V / WHITE / DLC	•	163.83 lm/W	View / Download
15.2 W	662187539744	T8 TUBE TYPE B : 15.2 W / 2544 LM / 6500 K / 100-277 V / WHITE / DLC	•	167.73 lm/W	View / Download

T8 TUBE TYPE B - 4FT - 15W - CLEAR

POWER	SKU NUMBER	DESCRIPTION	DLC	EFFICACY	SPEC SHEET
15 W	662187539843	T8 TUBE TYPE B : 15 W / 2366 LM / 3000 K / 100-277 V / WHITE / DLC	•	155.88 lm/W	View / Download
15 W	662187539737	T8 TUBE TYPE B : 15 W / 2395 LM / 3500 K / 100-277 V / WHITE / DLC	•	159.64 lm/W	View / Download
15 W	662187539928	T8 TUBE TYPE B : 15 W / 2425 LM / 4000 K / 100-277 V / WHITE / DLC	•	161.69 lm/W	View / Download
15 W	662187539676	T8 TUBE TYPE B : 15 W / 2487 LM / 5000 K / 100-277 V / WHITE / DLC	•	165.8 lm/W	View / Download
15 W	662187539706	T8 TUBE TYPE B : 15 W / 2546 LM / 6500 K / 100-277 V / WHITE / DLC	•	169.74 lm/W	View / Download

PRODUCT ORDERING DETAILS

T8 TUBE TYPE B - 4FT - 18W - FROSTED

POWER	SKU NUMBER	DESCRIPTION	DLC	EFFICACY	SPEC SHEET
17.8 W	662187539713	T8 TUBE TYPE B : 17.8 W / 2741 LM / 3000 K / 100-277 V / WHITE / DLC	•	153.64 lm/W	View / Download
18 W	662187539911	T8 TUBE TYPE B : 18 W / 2772 LM / 3500 K / 100-277 V / WHITE / DLC	•	154.34 lm/W	View / Download
18 W	662187477718	T8 TUBE TYPE B : 18 W / 2804 LM / 4000 K / 100-277 V / WHITE / DLC	•	156.12 lm/W	View / Download
18 W	662187477701	T8 TUBE TYPE B : 18 W / 2867 LM / 5000 K / 100-277 V / WHITE / DLC	•	159.63 lm/W	View / Download
18.1 W	662187539638	T8 TUBE TYPE B : 18 W / 2930 LM / 6500 K / 100-277 V / WHITE / DLC	•	162.06 lm/W	View / Download

T8 TUBE TYPE B - 4FT - 18W - CLEAR

POWER	SKU NUMBER	DESCRIPTION	DLC	EFFICACY	SPEC SHEET
18.4 W	662187539607	T8 TUBE TYPE B : 18.4 W / 2864 LM / 3000 K / 100-277 V / WHITE / DLC	•	155.5 lm/W	View / Download
18.4 W	662187539799	T8 TUBE TYPE B : 18.4 W / 2899 LM / 3500 K / 100-277 V / WHITE / DLC	•	157.37 lm/W	View / Download
18.4 W	662187539805	T8 TUBE TYPE B : 18.4 W / 2936 LM / 4000 K / 100-277 V / WHITE / DLC	•	159.39 lm/W	View / Download
18.4 W	662187539690	T8 TUBE TYPE B : 18.4 W / 3010 LM / 5000 K / 100-277 V / WHITE / DLC	•	163.43 lm/W	View / Download
18.4 W	662187539621	T8 TUBE TYPE B : 18.4 W / 3082 LM / 6500 K / 100-277 V / WHITE / DLC	•	167.32 lm/W	View / Download